

TSXCSY164

multi axis control module - for SERCOS digital servo drives - 1800 mA at 5 V DC

Price* : 11303.00 USD



Main

Range of product	Modicon Premium Automation platform
Product or component type	Multi axis control module
Product specific application	SERCOS digital servo drives
Number of channels	32
Number of axis	16 configurable
Path function	Simple linear Following of auxiliary axes
Communication network type	SERCOS 2
Structure type	Industrial conforming to EN 61491

Complementary

Set of axes	4 coordinated 4 followers
Cam profile	7
Topology	Ring
Transmission support medium	Fiber optic cable
Transmission rate	4 Mbit/s
Cycle time	2 ms 8 2 ms 2 2 ms 4 3 ms 12 4 ms 16
Number of segments	9
Optic fiber length	<= 492.13 ft (150 m) glass <= 124.67 ft (38 m) plastic
Length of segment	328.08 ft (100 m) bus X
Power dissipation in W	9 W
Local signalling	1 LED green module operating (RUN) 1 LED red external fault (I/O)

1 LED red internal fault, module failure (ERR)
1 LED yellow flashing indicates data transmission and reception
1 LED yellow flashing module reinitializing (INI)
24 LEDs green channel diagnostic

Current consumption	1800 mA 5 V DC
Product weight	1.15 lb(US) (0.52 kg)

Environment

Standards	EN/IEC 61491
IP degree of protection	IP20
Ambient air temperature for operation	32...140 °F (0...60 °C)
Relative humidity	10...95 % without condensation

Ordering and shipping details

Category	22558 - TSX PREMIUM, ATRIUM & PL7 PRO
Discount Schedule	PC22
Nbr. of units in pkg.	1
Package weight(Lbs)	2.2000000000000002
Returnability	N
Country of origin	FR

Offer Sustainability


Sustainable offer status	Not Green Premium product
RoHS (date code: YYWW)	Compliant - since 1201 - Schneider Electric declaration of conformity Schneider Electric declaration of conformity
REACH	Reference not containing SVHC above the threshold Reference not containing SVHC above the threshold
Product end of life instructions	Need no specific recycling operations

Contractual warranty

Warranty period	18 months
-----------------	-----------

Standard and Extendable Racks for Modules Mounting

Dimensions of Modules and Racks



- (1) With screw terminal block modules.
- (2) Maximum depth for all types of modules and their associated connectors.

Product Life Status	END OF COMMERCIALIZATION
---------------------	--------------------------